

2501/203 2508/203

2502/203 2509/203

2503/203

ENGINEERING MATHEMATICS II

June/July 2019

Time: 3 hours



THE KENYA NATIONAL EXAMINATIONS COUNCIL

**DIPLOMA IN MECHANICAL ENGINEERING
(PRODUCTION OPTION)**

(PLANT OPTION)

DIPLOMA IN AUTOMOTIVE ENGINEERING

DIPLOMA IN WELDING AND FABRICATION

DIPLOMA IN CONSTRUCTION PLANT ENGINEERING

MODULE II

ENGINEERING MATHEMATICS II

3 hours

INSTRUCTIONS TO CANDIDATES

You should have the following for this examination:

Answer booklet;

Mathematical tables/Non-programmable scientific calculator.

*This paper consists of **EIGHT** questions.*

*Answer any **FIVE** questions.*

All questions carry equal marks.

Maximum marks for each part of a question are as indicated.

Candidates should answer the questions in English.

This paper consists of 5 printed pages.

Candidates should check the question paper to ascertain that all the pages are printed as indicated and that no questions are missing.

1. (a) A continuous random variable has a probability density function defined by:

$$f(t) = \begin{cases} \frac{k^2}{3} e^{-kt} & t > 0 \\ 0 & \text{elsewhere} \end{cases}; \quad \text{where } k \text{ is a positive constant.}$$

Determine the:

- (i) value of k ;
- (ii) mean;
- (iii) variance;
- (iv) median.

(14 marks)

- (b) In a binomial experiment of 11 trials. The variance was found to be 1.76. If the probability of success in the experiment does not exceed 30%, determine the probability of obtaining at most two successes. (6 marks)

2. (a) Given that $(t-2)$, $(2t-6)$ and $(4t-8)$ form the first three terms of an arithmetic progression, determine the:

- (i) value of t ;
- (ii) sum of the first twenty terms.

(7 marks)

- (b) A carpenter stacks $(8k + 15)$ logs of timber in such a way that there are k layers with 10 logs in the top layer. Each layer below contains one log more than the one immediately above. Calculate the number of logs. (8 marks)

- (c) One third of the air in a tank is removed with each stroke of a pump. If the volume of the air remaining in the tank follows a geometric progression, determine the:

- (i) fraction of original volume that remains after four strokes.
- (ii) sum of the first 10 terms of the progression.

(5 marks)

3. (a) Points $P(10, 5)$ and $Q(30, 5)$ are in a Cartesian plane. Point T divides PQ in ratio 2:3. Determine the:

- (i) position vector of T ;
- (ii) coordinates of T .

(8 marks)

- (b) (i) Figure 1 shows a system of forces acting at a point on a body.




Fig.1

Use the method of resolution of vectors to determine the:

- (i) magnitude of the resultant force;
 (ii) direction of the resultant force.

(12 marks)

4

- (a) A regular pyramid stands on a rectangular base of sides 7 cm by 24 cm. The height of the vertex above the base is 20 cm, calculate the:

- (i) surface area of the solid.
 (ii) volume of the pyramid.

(10 marks)

- (b) Use Simpson's rule with 6 intervals to evaluate $\int_{0.2}^{0.8} \frac{x dx}{\sqrt{1+x^2}}$.

(10 marks)

5

- (a) Determine $\int \frac{(x^2 - 3) dx}{(x+1)(x^2+9)}$.

(9 marks)

- (b) Determine the volume generated when the area enclosed between the curve $y = x^2$ and the line $y = 6 - x$ is rotated about the x-axis through 360° .

(11 marks)

2501/203 2508/203
 2502/203 2509/203
 2503/203

6. (a) Given the function $f(x, y) = \sin(x^2 + y^3)$, and that $x = 5t, y = \frac{1}{1+t^2}$ determine the value of $\frac{df}{dt}$ at $t = 1$. (10 marks)
- (b) The transmission of power by belts on pulleys is given by $P = \frac{2\pi RNT}{60}$. Determine the percentage change in P when T is increased by 3%, R increased by 1% and N reduced by 2%. (10 marks)
7. (a) Given that $y = x \ln x$, determine $\frac{dy}{dx}$. (4 marks)
- (b) Given the function $y = x^2 e^{2x}$, determine the:
- equation of the tangent at the point where $x = 2$;
 - stationary points and their nature. (16 marks)
8. (a) (i) Use Maclaurin's theorem to determine the series expansion of $\ln(1+x)$ as far as the term in x^5 .
- (ii) Use the result in (i) to evaluate $\int_0^1 \ln(1+x) dx$. (11 marks)
- (b) Determine Taylor's series for the function $f(a+h) = \sin(a+h)$ as far as the term h^3 . Hence evaluate $\sin 46^\circ$, giving the answer correct to five decimal places. (9 marks)

2501/203 2508/203

2502/203 2509/203

2503/203

June/July 2019

4

$\frac{JL}{100} =$